



Certificate of Analysis

Compliance

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie,
Florida
8448228522
kharil@actlab.com

Chronic Guru

Order No.: OFLCGU0604-0006869
206 N Lake Pleasant Rd.
Apopka, Florida, 32703
allyson@chronicguru.com
7724187482

Sample: SFLCGU0604-IBRO-0002009

Unit Weight: 85.0000g , Sample Size for Testing: 1.0000g
Batch#: 612025

Sample Received: 06/04/2025 11:40 , Report Created: 06/05/2025 16:31

MMTC Information

Cultivation Facility: , Processing Facility:

Zaza Brownie

Ingestible, Brownie



Results

201 mg/unit D9-THC	
0 mg/unit Total CBD	201 mg/unit Total THC
201 mg/unit Total Cannabinoids	

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Foreign Matter Not Tested	Terpenes Not Tested
Contaminant Load Not Tested	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	Label Claim Not Tested



K'hari Leno
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

Compliance

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie,
Florida
8448228522
kharil@actlab.com

Chronic Guru

Order No.: OFLCGU0604-0006869
206 N Lake Pleasant Rd.
Apopka, Florida, 32703
allyson@chronicguru.com
7724187482

Sample: SFLCGU0604-IBRO-0002009

Unit Weight: 85.0000g , Sample Size for Testing: 1.0000g
Batch#: 612025

Sample Received: 06/04/2025 11:40 , Report Created: 06/05/2025 16:31

MMTC Information

Cultivation Facility: , Processing Facility:

Zaza Brownie

Ingestible, Brownie



Cannabinoids

Sample Prep

Tech: 3358, 4509
SOP: SOP 417
Batch Number: WCNDFL-FL0604-0004027
Batch Date: 06/04/2025 16:24

Sample Analysis

Date/Time: 06/05/2025 11:35
Tech: 4509
SOP: SOP 417
Instrument: HPLC - 3012
Final Weight: 1.069g
Dilution Factor for Sample: 1

Tested

Analyte	LOD (mg/g)	LOQ (mg/g)	%	mg/g	mg/unit
CBDV	0.00037	0.01870	ND	ND	ND
CBDa	0.00284	0.01870	ND	ND	ND
CBGa	0.00141	0.01870	ND	ND	ND
CBG	0.00306	0.01870	ND	ND	ND
CBD	0.00520	0.01870	ND	ND	ND
THCV	0.00121	0.01870	ND	ND	ND
THCVa	0.00101	0.01870	ND	ND	ND
CBN	0.00055	0.01870	ND	ND	ND
D9-THC	0.00271	0.01870	0.236	2.36	201
D8-THC	0.00315	0.01870	ND	ND	ND
CBC	0.00202	0.01870	ND	ND	ND
THCa	0.00309	0.01870	ND	ND	ND
CBCa	0.00513	0.01870	ND	ND	ND
Total CBD			0.00	0.00	0.00
Total THC			0.236	2.36	201
Total Cannabinoids			0.236	2.36	201



K'hari Leno
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

Compliance

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie,
Florida
8448228522
kharil@actlab.com

Chronic Guru

Order No.: OFLCGU0604-0006869
206 N Lake Pleasant Rd.
Apopka, Florida, 32703
allyson@chronicguru.com
7724187482

Sample: SFLCGU0604-IBRO-0002009

Unit Weight: 85.0000g , Sample Size for Testing: 1.0000g
Batch#: 612025

Sample Received: 06/04/2025 11:40 , Report Created: 06/05/2025 16:31

MMTC Information

Cultivation Facility: , Processing Facility:

Zaza Brownie

Ingestible, Brownie



Microbials

Sample Prep

Tech: 4302
SOP: SOP 406
Batch Number: WINCFL-FL0604-0002803
Batch Date: 06/04/2025 07:51

Sample Analysis

Date/Time: 06/05/2025 16:26
Tech: 4506
SOP: SOP 406
Instrument: AriaMx Real-Time PCR System - 2958 / AriaMx Real-Time PCR System - 2958/ Revco RDE Series Ultra-Low Temperature Fi
Final Weight: 2.05 g
Dilution Factor for Sample: 10

Pass

Analyte	Limit (CFU/g)	Result	Status
Yeast & Mold	100,000	ND	Passed
Salmonella	1	Absence	Passed
Aspergillus Flavus	1	Absence	Passed
Aspergillus Fumigatus	1	Absence	Passed
Aspergillus Niger	1	Absence	Passed
Aspergillus Terreus	1	Absence	Passed



K'hari Leno
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

Compliance

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie,
Florida
8448228522
kharil@actlab.com

Chronic Guru

Order No.: OFLCGU0604-0006869
206 N Lake Pleasant Rd.
Apopka, Florida, 32703
allyson@chronicguru.com
7724187482

Sample: SFLCGU0604-IBRO-0002009

Unit Weight: 85.0000g , Sample Size for Testing: 1.0000g
Batch#: 612025

Sample Received: 06/04/2025 11:40 , Report Created: 06/05/2025 16:31

MMTC Information

Cultivation Facility: , Processing Facility:

Zaza Brownie

Ingestible, Brownie



Residual Solvents

Sample Prep

Tech: 3358, 4509
SOP: SOP 405
Batch Number: WRSVFL-FL0604-0003271
Batch Date: 06/04/2025 15:50

Sample Analysis

Date/Time: 06/05/2025 11:15
Tech: 4509
SOP: SOP 405
Instrument: GCMS-HS - 3014
Final Weight: 0.103g
Dilution Factor for Sample: 1

Pass

Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
1,2-Dichloroethane	0.7	1.0	2.0	ND	Passed
Acetone	2.0	20.0	750.0	ND	Passed
Acetonitrile	2.0	20.0	60.0	ND	Passed
Benzene	0.2	0.4	1.0	ND	Passed
Butane	10.0	20.0	5,000.0	ND	Passed
Chloroform	0.2	0.4	2.0	ND	Passed
Ethanol	20.0	40.0	5,000.0	ND	Passed
Ethyl Acetate	2.0	20.0	400.0	ND	Passed
Ethyl Ether	20.0	40.0	500.0	ND	Passed
Ethylene Oxide	0.7	2.0	5.0	ND	Passed
Heptane	20.0	40.0	5,000.0	ND	Passed
Hexanes	4.0	8.0	250.0	ND	Passed
Isopropyl Alcohol	20.0	40.0	500.0	ND	Passed
Methanol	20.0	40.0	250.0	ND	Passed
Methylene Chloride	20.0	40.0	125.0	ND	Passed
Pentanes	6.7	13.3	750.0	ND	Passed
Propane	2.0	20.0	5,000.0	ND	Passed
Toluene	2.0	20.0	150.0	ND	Passed
Trichloroethylene	1.0	2.0	25.0	ND	Passed
Total Xylenes	5.0	10.0	150.0	ND	Passed
1,1-Dichloroethene	0.7	2.0	8.0	ND	Passed



K'hari Leno
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

Compliance

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie,
Florida
8448228522
kharil@actlab.com

Chronic Guru

Order No.: OFLCGU0604-0006869
206 N Lake Pleasant Rd.
Apopka, Florida, 32703
allyson@chronicguru.com
7724187482

Sample: SFLCGU0604-IBRO-0002009

Unit Weight: 85.0000g , Sample Size for Testing: 1.0000 g
Batch#: 612025

Sample Received: 06/04/2025 11:40 , Report Created: 06/05/2025 16:31

MMTC Information

Cultivation Facility: , Processing Facility:

Zaza Brownie

Ingestible, Brownie



Mycotoxins

Sample Prep

Tech: 3358
SOP: SOP 424
Batch Number: WPMCFL-FL0605-0003132
Batch Date: 06/04/2025 20:42

Sample Analysis

Date/Time: 06/05/2025 15:16
Tech: 4509
SOP: SOP 424
Instrument: LC-MS/MS - 2894 / LC-MS/MS - 2894
Final Weight: 0.103 g
Dilution Factor for Sample: 2.5

Pass

Analyte	LOD (ppb)	LOQ (ppb)	Limit (ppb)	ppb	Status
B1	1.938	9.690	20.000	ND	Passed
B2	1.938	9.690	20.000	ND	Passed
G1	1.938	9.690	20.000	ND	Passed
G2	1.938	9.690	20.000	ND	Passed
Ochratoxin A	1.938	9.690	20.000	ND	Passed



K'hari Leno
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

Compliance

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie,
Florida
8448228522
kharil@actlab.com

Chronic Guru

Order No.: OFLCGU0604-0006869
206 N Lake Pleasant Rd.
Apopka, Florida, 32703
allyson@chronicguru.com
7724187482

Sample: SFLCGU0604-IBRO-0002009

Unit Weight: 85.0000g , Sample Size for Testing: 1.0000 g
Batch#: 612025

Sample Received: 06/04/2025 11:40 , Report Created: 06/05/2025 16:31

MMTC Information

Cultivation Facility: , Processing Facility:

Zaza Brownie

Ingestible, Brownie



Heavy Metals

Sample Prep

Tech: 4510
SOP: SOP 428
Batch Number: WMTLFL-FL0604-0003259
Batch Date: 06/04/2025 19:24

Sample Analysis

Date/Time: 06/05/2025 10:44
Tech: 4510
SOP: SOP 428
Instrument: ICP-MS - 2837
Final Weight: 0.21 g
Dilution Factor for Sample: 60

Pass

Analyte	LOD (ppb)	LOQ (ppb)	Limit (ppb)	ppb	Status
Arsenic	19.125	71.361	1,500.000	ND	Passed
Cadmium	19.125	71.361	500.000	< LOQ	Passed
Mercury	19.125	71.361	3,000.000	ND	Passed
Lead	19.125	71.361	500.000	ND	Passed



K'hari Leno
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

Compliance

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie,
Florida
8448228522
kharil@actlab.com

Chronic Guru
Order No.: OFLCGU0604-0006869
206 N Lake Pleasant Rd.
Apopka, Florida, 32703
allyson@chronicguru.com
7724187482

Sample: SFLCGU0604-IBRO-0002009
Unit Weight: 85.0000g , Sample Size for Testing: 1.0000g
Batch#: 612025

Sample Received: 06/04/2025 11:40 , Report Created: 06/05/2025 16:31

MMTC Information
Cultivation Facility: , Processing Facility:

Zaza Brownie
Ingestible, Brownie



Pesticides

Sample Prep

Tech: 3358
SOP: SOP 424
Batch Number: WPMCF-FL0605-0003132
Batch Date: 06/04/2025 20:42

Sample Analysis

Date/Time: 06/05/2025 15:16
Tech: 4509
SOP: SOP 424
Instrument: LC-MS/MS - 2894 / LC-MS/MS - 2894/ GC-MS/MS - 3005
Final Weight: 0.639g
Dilution Factor for Sample: 2.5 (LCMS), 10 (GCMS)

Pass

Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
Abamectin	0.008	0.021	0.300	ND	Passed
Acephate	0.010	0.024	3.000	ND	Passed
Acequinocyl	0.010	0.024	2.000	ND	Passed
Acetamiprid	0.002	0.010	3.000	ND	Passed
Aldicarb	0.005	0.019	0.100	ND	Passed
Azoxystrobin	0.002	0.010	3.000	ND	Passed
Bifenazate	0.002	0.010	3.000	ND	Passed
Bifenthrin	0.002	0.024	0.500	ND	Passed
Boscalid	0.010	0.048	3.000	ND	Passed
Carbaryl	0.005	0.010	0.500	ND	Passed
Carbofuran	0.002	0.010	0.100	ND	Passed
Chlorantraniliprole	0.002	0.010	3.000	ND	Passed
Chlorpyrifos	0.010	0.024	0.100	ND	Passed
Clofentezine	0.010	0.024	0.500	ND	Passed
Coumaphos	0.010	0.050	0.100	ND	Passed
Cyfluthrin	0.010	0.100	1.000	ND	Passed
Cypermethrin	0.010	0.100	1.000	ND	Passed
Daminozide	0.010	0.024	0.100	ND	Passed
Diazinon	0.002	0.010	0.200	ND	Passed
Dichlorvos	0.010	0.024	0.100	ND	Passed
Dimethoate	0.002	0.010	0.100	ND	Passed
Dimethomorph	0.003	0.011	3.000	ND	Passed
Ethoprophos	0.002	0.010	0.100	ND	Passed
Etofenprox	0.002	0.010	0.100	ND	Passed
Etoxazole	0.002	0.010	1.500	ND	Passed
Fenhexamid	0.010	0.048	3.000	ND	Passed
Fenoxycarb	0.002	0.010	0.100	ND	Passed
Fenpyroximate	0.005	0.019	2.000	ND	Passed
Fipronil	0.002	0.010	0.100	ND	Passed
Fonicamid	0.005	0.019	2.000	ND	Passed
Fludioxonil	0.005	0.010	3.000	ND	Passed
Hexythiazox	0.005	0.019	2.000	ND	Passed
Imazalil	0.010	0.024	0.100	ND	Passed
Imidacloprid	0.024	0.121	3.000	ND	Passed
Kresoxim Methyl	0.005	0.010	1.000	ND	Passed
Malathion	0.019	0.048	2.000	ND	Passed
Mevinphos	0.009	0.022	0.100	ND	Passed
Metalaxyl	0.002	0.010	3.000	ND	Passed
Methiocarb	0.002	0.010	0.100	ND	Passed
Methomyl	0.002	0.010	0.100	ND	Passed
Myclobutanil	0.005	0.024	3.000	ND	Passed
Naled	0.019	0.024	0.500	ND	Passed
Oxamyl	0.002	0.010	0.500	ND	Passed
Paclotrazol	0.002	0.010	0.100	ND	Passed
Permethrin	0.010	0.024	1.000	ND	Passed
Phosmet	0.005	0.024	0.200	ND	Passed
Piperonyl Butoxide	0.002	0.010	3.000	ND	Passed
Prallethrin	0.010	0.024	0.400	ND	Passed
Propiconazole	0.010	0.024	1.000	ND	Passed
Propoxur	0.002	0.010	0.100	ND	Passed
Pyrethrins	0.032	0.064	1.000	ND	Passed
Pyridaben	0.002	0.010	3.000	ND	Passed
Spinetoram	0.007	0.017	3.000	ND	Passed
Spinosyn AD	0.010	0.041	3.000	ND	Passed
Spiromesifen	0.002	0.010	3.000	ND	Passed



K'hari Leno
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

Compliance

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie,
Florida
8448228522
kharil@actlab.com

Chronic Guru

Order No.: OFLCGU0604-0006869
206 N Lake Pleasant Rd.
Apopka, Florida, 32703
allyson@chronicguru.com
7724187482

Sample: SFLCGU0604-IBRO-0002009

Unit Weight: 85.0000g , Sample Size for Testing: 1.0000g
Batch#: 612025

Sample Received: 06/04/2025 11:40 , Report Created: 06/05/2025 16:31

MMTC Information

Cultivation Facility: , Processing Facility:

Zaza Brownie

Ingestible, Brownie



Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
Spirotetramat	0.005	0.024	3.000	ND	Passed
Spiroxamine	0.002	0.010	0.100	ND	Passed
Tebuconazole	0.010	0.024	1.000	ND	Passed
Thiacloprid	0.002	0.010	0.100	ND	Passed
Thiamethoxam	0.002	0.010	1.000	ND	Passed
Trifloxystrobin	0.002	0.010	3.000	ND	Passed
Captan	0.010	0.100	3.000	ND	Passed
Methyl Parathion	0.010	0.020	0.100	ND	Passed
Chlordane	0.010	0.020	0.100	ND	Passed
Chlorfenapyr	0.010	0.020	0.100	ND	Passed
Chlormequat Chloride	0.002	0.010	3.000	ND	Passed
Pentachloronitrobenzene	0.010	0.050	0.200	ND	Passed



K'hari Leno
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.