



Certificate of Analysis

Compliance

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie,
Florida
8448228522
kharil@actlab.com

Chronic Guru

Order No.: OFLCGU0626-0007315
206 N Lake Pleasant Rd.
Apopka, Florida, 32703
allyson@chronicguru.com
7724187482

Sample: SFLCGU0626-PFCU-0002120

Unit Weight: 3.5000g , Sample Size for Testing: 1.0000 Units
Batch#: 06262025_SJ

Sample Received: 06/26/2025 11:25 , Report Created: 06/30/2025 09:43

MMTC Information

Cultivation Facility: , Processing Facility:

Super Jack

Plant, Flower - Cured

Moisture

Sample Prep

Tech: 4302
SOP: SOP 411
Batch Number: WMWAF-FL0626-0004286
Batch Date: 06/26/2025 14:10

Sample Analysis

Date/Time: 06/26/2025 14:48
Tech: 4302
SOP: SOP 411
Instrument:
Final Weight: 0.309 g

Pass

Analyte	Limit (%)	%	Status
Moisture	15.00	9.06	Passed



K'hari Leno
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

Compliance

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie,
Florida
8448228522
kharil@actlab.com

Chronic Guru

Order No.: OFLCGU0626-0007315
206 N Lake Pleasant Rd.
Apopka, Florida, 32703
allyson@chronicguru.com
7724187482

Sample: SFLCGU0626-PFCU-0002120

Unit Weight: 3.5000g , Sample Size for Testing: 1.0000 Units
Batch#: 06262025_SJ

Sample Received: 06/26/2025 11:25 , Report Created: 06/30/2025 09:43

MMTC Information

Cultivation Facility: , Processing Facility:

Super Jack

Plant, Flower - Cured

Microbials

Sample Prep

Tech: 4506
SOP: SOP 406
Batch Number: WTYMFL-FL0626-0002858
Batch Date: 06/26/2025 12:50

Sample Analysis

Date/Time: 06/26/2025 17:32
Tech: 4302
SOP: SOP 406
Instrument: AriaMx Real-Time PCR System - 2958 / Revco RDE Series Ultra-Low Temperature Freezer - 2876/ Isotemp Undercounter L
Final Weight: 2.022 g
Dilution Factor for Sample: 1

Pass

Analyte	Limit (CFU/g)	Result	Status
Yeast & Mold	100,000	ND	Passed
Salmonella	1	Absence	Passed
Aspergillus Flavus	1	Absence	Passed
Aspergillus Fumigatus	1	Absence	Passed
Aspergillus Niger	1	Absence	Passed
Aspergillus Terreus	1	Absence	Passed
STEC E. Coli	1	Absence	Passed



K'hari Leno
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

Compliance

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie,
Florida
8448228522
kharil@actlab.com

Chronic Guru

Order No.: OFLCGU0626-0007315
206 N Lake Pleasant Rd.
Apopka, Florida, 32703
allyson@chronicguru.com
7724187482

Sample: SFLCGU0626-PFCU-0002120

Unit Weight: 3.5000g , Sample Size for Testing: 1.0000 Units
Batch#: 06262025_SJ

Sample Received: 06/26/2025 11:25 , Report Created: 06/30/2025 09:43

MMTC Information

Cultivation Facility: , Processing Facility:

Super Jack

Plant, Flower - Cured

Foreign Matter

Sample Prep/Analysis

Tech: 4509
SOP: SOP 409
Batch Date: 06/26/2025 11:25
Analyte

Pass

Result

Absent

FM




K'hari Leno
Sr. Lab Supervisor



Certificate of Analysis

Compliance

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie,
Florida
8448228522
kharil@actlab.com

Chronic Guru

Order No.: OFLCGU0626-0007315
206 N Lake Pleasant Rd.
Apopka, Florida, 32703
allyson@chronicguru.com
7724187482

Sample: SFLCGU0626-PFCU-0002120

Unit Weight: 3.5000g , Sample Size for Testing: 1.0000 Units
Batch#: 06262025_SJ

Sample Received: 06/26/2025 11:25 , Report Created: 06/30/2025 09:43

MMTC Information

Cultivation Facility: , Processing Facility:

Super Jack

Plant, Flower - Cured

Mycotoxins

Sample Prep

Tech: 3358
SOP: SOP 424
Batch Number: WPMCFL-FL0626-0003211
Batch Date: 06/26/2025 15:24

Sample Analysis

Date/Time: 06/27/2025 13:46
Tech: 4509
SOP: SOP 424
Instrument: LC-MS/MS - 2894 / LC-MS/MS - 2894
Final Weight: 0.109 g
Dilution Factor for Sample: 2.5

Pass

Analyte	LOD (ppb)	LOQ (ppb)	Limit (ppb)	ppb	Status
B1	1.835	9.174	20.000	ND	Passed
B2	1.835	9.174	20.000	ND	Passed
G1	1.835	9.174	20.000	ND	Passed
G2	1.835	9.174	20.000	ND	Passed
Ochratoxin A	1.835	9.174	20.000	ND	Passed



K'hari Leno
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

Compliance

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie,
Florida
8448228522
kharil@actlab.com

Chronic Guru

Order No.: OFLCGU0626-0007315
206 N Lake Pleasant Rd.
Apopka, Florida, 32703
allyson@chronicguru.com
7724187482

Sample: SFLCGU0626-PFCU-0002120

Unit Weight: 3.5000g , Sample Size for Testing: 1.0000 Units
Batch#: 06262025_SJ

Sample Received: 06/26/2025 11:25 , Report Created: 06/30/2025 09:43

MMTC Information

Cultivation Facility: , Processing Facility:

Super Jack

Plant, Flower - Cured

Heavy Metals

Sample Prep

Tech: 4510
SOP: SOP 428
Batch Number: WMTLFL-FL0627-0003341
Batch Date: 06/26/2025 22:05

Sample Analysis

Date/Time: 06/27/2025 09:12
Tech: 4509
SOP: SOP 428
Instrument: ICP-MS - 2837
Final Weight: 0.266 g
Dilution Factor for Sample: 60

Pass

Analyte	LOD (ppb)	LOQ (ppb)	Limit (ppb)	ppb	Status
Arsenic	15.141	56.497	200.000	ND	Passed
Cadmium	15.141	56.497	200.000	ND	Passed
Mercury	15.141	56.497	200.000	ND	Passed
Lead	15.141	56.497	500.000	< LOQ	Passed



K'hari Leno
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

Compliance

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie,
Florida
8448228522
kharil@actlab.com

Chronic Guru
Order No.: OFLCGU0626-0007315
206 N Lake Pleasant Rd.
Apopka, Florida, 32703
allyson@chronicguru.com
7724187482

Sample: SFLCGU0626-PFCU-0002120
Unit Weight: 3.5000g , Sample Size for Testing: 1.0000 Units
Batch#: 06262025_SJ

Sample Received: 06/26/2025 11:25 , Report Created: 06/30/2025 09:43
MMTC Information
Cultivation Facility: , Processing Facility:

Super Jack
Plant, Flower - Cured

Pass

Pesticides

Sample Prep
Tech: 3358
SOP: SOP 424
Batch Number: WPMCFL-FL0626-0003211
Batch Date: 06/26/2025 15:24

Sample Analysis
Date/Time: 06/27/2025 13:46
Tech: 4509
SOP: SOP 424
Instrument: LC-MS/MS - 2894 / LC-MS/MS - 2894
Final Weight: 0.109 g
Dilution Factor for Sample: 2.5 (LCMS), 10 (GCMS)

Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
Abamectin	0.008	0.020	0.100	ND	Passed
Acephate	0.009	0.023	0.100	ND	Passed
Acequinocyl	0.009	0.023	0.100	ND	Passed
Acetamiprid	0.002	0.009	0.100	ND	Passed
Aldicarb	0.005	0.018	0.100	ND	Passed
Azoxystrobin	0.002	0.009	0.100	ND	Passed
Bifenazate	0.002	0.009	0.100	ND	Passed
Bifenthrin	0.002	0.023	0.100	ND	Passed
Boscalid	0.009	0.046	0.100	ND	Passed
Carbaryl	0.005	0.009	0.500	ND	Passed
Carbofuran	0.002	0.009	0.100	ND	Passed
Chlorantraniliprole	0.002	0.009	1.000	ND	Passed
Chlorpyrifos	0.009	0.023	0.100	ND	Passed
Clofentezine	0.009	0.023	0.200	ND	Passed
Daminozide	0.009	0.023	0.100	ND	Passed
Diazinon	0.002	0.009	0.100	ND	Passed
Dichlorvos	0.009	0.023	0.100	ND	Passed
Dimethoate	0.002	0.009	0.100	ND	Passed
Dimethomorph	0.003	0.010	0.200	ND	Passed
Ethoprophos	0.002	0.009	0.100	ND	Passed
Etofenprox	0.002	0.009	0.100	ND	Passed
Etoxazole	0.002	0.009	0.100	ND	Passed
Fenhexamid	0.009	0.046	0.100	ND	Passed
Fenoxycarb	0.002	0.009	0.100	ND	Passed
Fenpyroximate	0.005	0.018	0.100	ND	Passed
Fipronil	0.002	0.009	0.100	ND	Passed
Flonicamid	0.005	0.018	0.100	ND	Passed
Fludioxonil	0.005	0.009	0.100	ND	Passed
Hexythiazox	0.005	0.018	0.100	ND	Passed
Imazalil	0.009	0.023	0.100	ND	Passed
Imidacloprid	0.023	0.115	0.400	ND	Passed
Kresoxim Methyl	0.005	0.009	0.100	ND	Passed
Malathion	0.018	0.046	0.200	ND	Passed
Mevinphos	0.008	0.021	0.100	ND	Passed
Metalaxyl	0.002	0.009	0.100	ND	Passed
Methiocarb	0.002	0.009	0.100	ND	Passed
Methomyl	0.002	0.009	0.100	ND	Passed
Myclobutanil	0.005	0.023	0.100	ND	Passed
Naled	0.018	0.023	0.250	ND	Passed
Oxamyl	0.002	0.009	0.500	ND	Passed
Paclobutrazol	0.002	0.009	0.100	ND	Passed
Permethrin	0.009	0.023	0.100	ND	Passed
Phosmet	0.005	0.023	0.100	ND	Passed
Piperonyl Butoxide	0.002	0.009	3.000	ND	Passed
Prallethrin	0.009	0.023	0.100	ND	Passed
Propiconazole	0.009	0.023	0.100	ND	Passed
Propoxur	0.002	0.009	0.100	ND	Passed
Pyrethrins	0.031	0.061	0.500	ND	Passed
Pyridaben	0.002	0.009	0.200	ND	Passed
Spinetoram	0.007	0.016	0.200	ND	Passed
Spinosyn AD	0.009	0.039	0.100	ND	Passed
Spiromesifen	0.002	0.009	0.100	ND	Passed
Spirotetramat	0.005	0.023	0.100	ND	Passed
Spiroxamine	0.002	0.009	0.100	ND	Passed
Tebuconazole	0.009	0.023	0.100	ND	Passed



K'hari Leno
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

Compliance

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie,
Florida
8448228522
kharil@actlab.com

Chronic Guru

Order No.: OFLCGU0626-0007315
206 N Lake Pleasant Rd.
Apopka, Florida, 32703
allyson@chronicguru.com
7724187482

Sample: SFLCGU0626-PFCU-0002120

Unit Weight: 3.5000g , Sample Size for Testing: 1.0000 Units
Batch#: 06262025_SJ

Sample Received: 06/26/2025 11:25 , Report Created: 06/30/2025 09:43

MMTC Information

Cultivation Facility: , Processing Facility:

Super Jack

Plant, Flower - Cured

Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
Thiacloprid	0.002	0.009	0.100	ND	Passed
Thiamethoxam	0.002	0.009	0.500	ND	Passed
Trifloxystrobin	0.002	0.009	0.100	ND	Passed
Chlormequat Chloride	0.002	0.009	1.000	ND	Passed




K'hari Leno
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.